

**Southern Bundaberg-Isis**

Variety	Q170 x QC90-289	
SEEDLING CODE	QS08-9474	
APPEARANCE	Light green stalk, light olive when exposed. Moderate wax. Cylindrical to slightly concave internode shape with oval bud shape. Lots of hairs on leaf sheath. Good canopy cover, broad leaves. Trash held loosely to stalk.	
FEATURES/COMMENTS	Consistently good productivity in trials across range of soil types. High tonnes of cane good CCS compare to the major standards used in the same trial. Keep its productivity in ratoons. Tested up to 3d ratoon but only in the first trial series High fibre percentage and good FQM.	
HARVESTING TIME	Mid, Late	
SUITED SOILS		
SEASONAL SUGAR -		
EARLY	Poor	
MID	Good	
LATE	Good	
YIELD	High	
CCS	Moderate - High	
SPEED OF GERMINATION	Average	
RELIABILITY OF GERMINATION	Good	
FAST AND RELIABLE RATOONING	Good	
LODGING TOLERANCE	Good	
FLOWERING	Unknown	
WATERLOGGING	Average	
DROUGHT	Good	
FROST	Unknown	
FLOOD	Average	
DISEASE REACTION -		
RESISTANT	Fiji Leaf Gall, Leaf Scald, Mosaic, Pachymetra	
INTERMEDIATE	Red Rot, Smut	
UNKNOWN	Brown Rust, Lesion Nematode, Orange Rust, Root Knot Nematode, RSD	
CANE GRUB TOLERANCE	Unknown	
HERBICIDE REACTION	refer to "Herbicide Screening" on QCANESelect home page	
CROP MANAGEMENT PRACTICES	Monitoring Smut incidence as an intermediate variety	



This information has been compiled using limited data for SRA29<sup>Ⓟ</sup>

**Disclaimer**

Copyright © 2013 • All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of SRA. Disclaimer In this disclaimer a reference to "we", "us" or "our" means Sugar Research Australia Limited and our directors, officers, agents and employees. Although we do our best to present information that is correct and accurate, we make no warranties, guarantees or representations about the suitability, reliability, currency or accuracy of the information we present in this report for any purposes. Subject to any terms implied by law and which cannot be excluded, we accept no responsibility for any loss, damage, cost or expense incurred by you as a result of the use of, or reliance on, any materials and information appearing in this report. You, the user, accept sole responsibility and risk associated with the use and results of the information appearing in this report and you agree that we will not be liable for any loss or damage whatsoever (including through negligence) arising out of, or in connection with the use of this report. We recommend that you contact our staff before acting on any information provided in this report. Warning Our tests, inspections and recommendations should not be relied on without further, independent inquiries. They may not be accurate, complete or applicable for your particular needs for many reasons, including (for example) SRA being unaware of other matters relevant to individual crops, the analysis of unrepresentative samples or the influence of environmental, managerial or other factors on production.