

Southern Bundaberg-Isis

| Variety | QN86-2139 x QC90-289 | |
|-----------------------------|---|--|
| SEEDLING CODE | QS05-6092 | |
| APPEARANCE | Yellow-green stalk, maroon when exposed. Internode shape is conoidal with vertical oval bud shape. Medium internode waxiness. Few hears on leaf sheath. Broad leaves. Trash held loosely to stalk. | |
| FEATURES/COMMENTS | Consistently good productivity in trials across a range of soil types. High tonnes of cane and moderate CCS. Keep its productivity in ratoons. Tested up to 4th ratoon. Low fibre content and high percentage of short fibre. | |
| HARVESTING TIME | Early, Mid, Late | |
| SUITED SOILS | | |
| SEASONAL SUGAR - | | |
| EARLY | Average | |
| MID | Good | |
| LATE | Good | |
| YIELD | High | |
| CCS | High | |
| SPEED OF GERMINATION | Rapid | |
| RELIABILITY OF GERMINATION | Good | |
| FAST AND RELIABLE RATOONING | Good | |
| LODGING TOLERANCE | Good | |
| FLOWERING | Unknown | |
| WATERLOGGING | Unknown | |
| DROUGHT | Poor | |
| FROST | Unknown | |
| FLOOD | Average | |
| DISEASE REACTION - | | |
| RESISTANT | Fiji Leaf Gall, Leaf Scald, Mosaic, Orange Rust, Pachymetra, Smut | |
| INTERMEDIATE | Red Rot | |
| UNKNOWN | Brown Rust, Lesion Nematode, Root Knot Nematode, RSD | |
| CANE GRUB TOLERANCE | Unknown | |
| HERBICIDE REACTION | refer to "Herbicide Screening" on QCANESelect home page | |
| CROP MANAGEMENT PRACTICES | Consistently good productivity across a range of soil types | |



This information has been compiled using limited data for SRA11[Ⓛ]

Disclaimer

Copyright © 2013 • All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of SRA. Disclaimer In this disclaimer a reference to "we", "us" or "our" means Sugar Research Australia Limited and our directors, officers, agents and employees. Although we do our best to present information that is correct and accurate, we make no warranties, guarantees or representations about the suitability, reliability, currency or accuracy of the information we present in this report for any purposes. Subject to any terms implied by law and which cannot be excluded, we accept no responsibility for any loss, damage, cost or expense incurred by you as a result of the use of, or reliance on, any materials and information appearing in this report. You, the user, accept sole responsibility and risk associated with the use and results of the information appearing in this report and you agree that we will not be liable for any loss or damage whatsoever (including through negligence) arising out of, or in connection with the use of this report. We recommend that you contact our staff before acting on any information provided in this report. Warning Our tests, inspections and recommendations should not be relied on without further, independent inquiries. They may not be accurate, complete or applicable for your particular needs for many reasons, including (for example) SRA being unaware of other matters relevant to individual crops, the analysis of unrepresentative samples or the influence of environmental, managerial or other factors on production.