

SRAW33

Southern Bundaberg-Isis

Variety	Q208(h x CP74-2005	
SEEDLING CODE	KQ07-4897	
APPEARANCE	Yellow-green stalk colour, maroon when exposed. Average-thick stalks with medium wax covering. Erect, closed stool. Broad leaves. Hairless.	
HARVESTING TIME	Early, Mid, Late	
SUITED SOILS		
SEASONAL SUGAR -		
EARLY	Good	
MID	Good	
LATE	Good	
YIELD	Moderate - High	
CCS	Moderate - High	No.
SPEED OF GERMINATION	Average	
RELIABILITY OF GERMINATION	Average	44 周月 3
FAST AND RELIABLE RATOONING	Average	
LODGING TOLERANCE	Average	
FLOWERING	Moderate	
WATERLOGGING	Unknown	
DROUGHT	Unknown	
FROST	Unknown	
FLOOD	Unknown	
DISEASE REACTION -		
RESISTANT	Fiji Leaf Gall, Leaf Scald, Mosaic, Orange Rust, Red Rot, Smut	
INTERMEDIATE - RESISTANT	Pachymetra	
UNKNOWN	Brown Rust, Lesion Nematode, Root Knot Nematode, RSD	
CANE GRUB TOLERANCE	Unknown	
HERBICIDE REACTION	pending	

This information has been compiled using limited data for SRAW33

Disclaime

Copyright © 2013 • All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of SRA. Disclaimer In this disclaimer a reference to "we", "us" or "our" means Sugar Research Australia Limited and our directors, officers, agents and employees. Although we do our best to present information that is correct and accurate, we make no warranties, guarantees or representations about the suitability, reliability, currency or accuracy of the information we present in this report for any purposes. Subject to any terms implied by law and which cannot be excluded, we accept no responsibility for any loss, damage, cost or expense incurred by you as a result of the use of, or reliance on, any materials and information appearing in this report. You, the user, accept sole responsibility and risk associated with the use and results of the information appearing in this report and you agree that we will not be liable for any loss or damage whatsoever (including through negligence) arising out of, or in connection with the use of this report. We recommend that you contact our staff before acting on any information provided in this report. Warning Our tests, inspections and recommendations should not be relied on without further, independent inquiries. They may not be accurate, complete or applicable for your particular needs for many reasons, including (for example) SRA being unaware of other matters relevant to individual crops, the analysis of unrepresentative samples or the influence of environmental, managerial or other factors on production.

